

PA 4050 GB Powder Natural

Version number: 2.0

SECTION 1: Identification

1.1 Product identifier

Trade name PA 4050 GB Powder Natural

CAS number not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Jabil Inc. Telephone: 612 225-2692
 102 N Jonathan Blvd
 Chaska, Minnesota, MN 55318
 United States

e-mail (competent person) GHS@crc-us.com

1.4 Emergency telephone number

Poison center		
Country	Name	Telephone
	CHEMTREC (International)	+1 202-483-7616
United States	CHEMTREC USA	(800) 424-9300

As above or next toxicological information centre.

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
B,cD	combustible dust	Comb. Dust	cD	OSHA003

For full text of abbreviations: see SECTION 16

PA 4050 GB Powder Natural

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word warning

Pictograms Not required.

Hazard statements

OSHA003 May form combustible dust concentrations in air.

2.3 Other hazards

Dust explosion hazards.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

polyamide and additives

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Take off immediately all contaminated clothing.

In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

After contact with the molten product, cool rapidly with cold water.

Do not pull solidified product away from the skin.

Get immediate medical advice/attention.

Following eye contact

Irrigate copiously with clean, fresh water, holding the eyelids apart.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth. Do not induce vomiting.

Get medical advice/attention if you feel unwell.

PA 4050 GB Powder Natural

Notes for the doctor

None.

4.2 Most important symptoms and effects, both acute and delayed

These information are not available.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, foam, alcohol resistant foam, fire extinguishing powder

Unsuitable extinguishing media

water jet, carbon dioxide (CO₂)

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous decomposition products: Section 10.

Danger of dust explosion.

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂), hydrogen cyanide (HCN, prussic acid), gas/ vapor, toxic

5.3 Advice for firefighters

Keep containers cool with water spray.

In case of fire and/or explosion do not breathe fumes.

Coordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

wear self-contained breathing apparatus

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

PA 4050 GB Powder Natural

For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Control of dust.

Eliminate all ignition sources if safe to do so.

Do not breathe dust.

Avoid contact with skin and eyes.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Collect spillage.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5.

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes.

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Only vacuum cleaners containing no ignition sources may be used for combustible dusts.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

PA 4050 GB Powder Natural

Specific notes/details

Layers, deposits and heaps of combustible dust must be considered, like any other source which can form a hazardous explosive atmosphere.

Dust deposits may accumulate on all deposition surfaces in a technical room.

Danger of dust explosion.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Explosive atmospheres

Removal of dust deposits.

Only vacuum cleaners containing no ignition sources may be used for combustible dusts.

Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Ground/bond container and receiving equipment.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Protect against external exposure, such as

heat, humidity, direct light irradiation, sunlight

Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

Ventilation requirements

Provision of sufficient ventilation.

Specific designs for storage rooms or vessels

Keep container tightly closed and in a well-ventilated place.

Keep cool.

Store in a dry place.

Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

No information available.

PA 4050 GB Powder Natural

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Notation	Source
US	Particulates not otherwise regulated		PEL (CA)		10			dust	Cal/OSHA PEL
US	Particulates not otherwise regulated		PEL (CA)		5			r	Cal/OSHA PEL
US	particulates not otherwise classified		REL					appx-D	NIOSH REL
US	particulates not otherwise classified (PNOC)		PEL	1,766	15			i, dust	29 CFR 1910.1000
US	particulates not otherwise classified (PNOC)		PEL	529.5	5			partml, r, dust	29 CFR 1910.1000

Notation

appx-D see Appendix D - Substances with No Established RELs

dust as dust

i inhalable fraction

partml particles/ml

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

PA 4050 GB Powder Natural

Hand protection

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Use heat resistant gloves when handling hot / molten product.

Other protection measures

Wear heat-resistant protective clothing when handling hot/molten product.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Particulate filter device (EN 143).

P2 (filters at least 94 % of airborne particles, color code: White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid
Form	powder
Color	whitish
Odor	odorless
Odor threshold	these information are not available

Other safety parameters

pH (value)	these information are not available
Melting point/freezing point	~180 – 730 °C
Initial boiling point and boiling range	these information are not available
Flash point	not applicable
Evaporation rate	these information are not available
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Explosion limits of dust clouds	not determined
Vapor pressure	these information are not available

PA 4050 GB Powder Natural

Density	these information are not available
Vapor density	these information are not available
Relative density	these information are not available
Solubility(ies)	
Water solubility	not miscible in any proportion
Partition coefficient	
n-octanol/water (log KOW)	these information are not available
Auto-ignition temperature	not relevant (Solid matter)
Decomposition temperature	these information are not available
Viscosity	
Kinematic viscosity	not relevant (solid matter)
Dynamic viscosity	not relevant (solid matter)
Explosive properties	dust explosion hazards
Oxidizing properties	shall not be classified as oxidizing

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

Danger of dust explosion.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharge.

10.5 Incompatible materials

oxidizers

10.6 Hazardous decomposition products

Pyrolysis products, toxic.
Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification procedure

If not otherwise specified the classification is based on:
Ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Skin corrosion/irritation

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Serious eye damage/eye irritation

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Respiratory or skin sensitization

Skin sensitization

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Respiratory sensitization

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Carcinogenicity

IARC Monographs

None of the ingredients are listed.

National Toxicology Program (United States)

None of the ingredients are listed.

OSHA Carcinogens

None of the ingredients are listed.

Reproductive toxicity

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

PA 4050 GB Powder Natural

Specific target organ toxicity - single exposure

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - repeated exposure

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Test data are not available for the complete mixture.

Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

12.2 Persistence and degradability

Biodegradation

Data are not available.

Persistence

Data are not available.

12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects

Data are not available.

Remarks

Wassergefährdungsklasse, WGK (water hazard class): 2

PA 4050 GB Powder Natural

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packages

Completely emptied packages can be recycled.
Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	-
14.3	Transport hazard class(es)	-
14.4	Packing group	-
14.5	Environmental hazards	-
14.6	Special precautions for user	-
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code	-

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

PA 4050 GB Powder Natural

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

Hazardous Substance List (NJ-RTK)

none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System.

American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

PA 4050 GB Powder Natural

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information, including date of preparation or last revision

Date of preparation: 2019-10-17

Date of last revision: 2020-05-13.

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
IARC Mono- graphs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
ppm	Parts per million
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

PA 4050 GB Powder Natural

Transport of dangerous goods by road or rail (49 CFR US DOT).
International Maritime Dangerous Goods Code (IMDG).
Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties.
Health hazards.
Environmental hazards.
The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

List of relevant phrases (code and full text as stated in chapter 2 and 3)	
Code	Text
OSHA003	May form combustible dust concentrations in air.

Responsible for the safety data sheet

Chemical Regulatory Compliance Company Telephone: +1 (630) 410-1660
Chicago, IL e-Mail: GHS@crc-us.com
USA Website: www.crc-us.com

Disclaimer

The information in this Safety Data Sheet has been compiled from standard reference materials and/or test data as of the date of its publication and are provided for reference only. The information is offered only as guidance for safe storage, handling, use, and disposal of the product and is not to be considered a warranty or quality specification. The information is specific to the product and may not be valid when used in combination with any other products. The user is responsible for ensuring safe and lawful use of the product and that the product is technically suitable for the intended use.

No express or implied warranties are provided and the implied warranties of merchantability or fitness for a particular purpose are expressly disclaimed. No representations are made, and no liability is assumed arising from or relating to the product.

Copyright/Trademark: © 2019 Jabil Inc. All rights reserved. JABIL® and the JABIL logo are registered trademarks of Jabil Inc.